



Free Knitting Pattern
Lion Brand® Wool-Ease®
Cable Luxe Maxi
Pattern Number: 60721AD



This sweater-dress is luxurious and dramatic, featuring a beautiful cabled yoke. Cable Luxe Maxi

Free Knitting Pattern from Lion Brand Yarn
Lion Brand® Wool-Ease®
Cable Luxe Maxi
Pattern Number: 60721AD

SKILL LEVEL: Experienced

SIZE: Small, Medium, Large, 1X, 2X

Finished Bust 36 (38, 40, 44, 50) in. (91.5 (96.5, 106.5, 117, 127) cm)

Finished Length 48 (49, 49, 50, 50) in. (122 (124.5, 124.5, 127, 127) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: (applied)

3/3 RC (3 over 3 right cross)

Slip 3 sts to cable needle and hold in back, k3, then k3 from cable needle.

3/3 RC Cable (worked on 6 sts over 8 rows)

Row 1, 5 and 7 (RS): Knit 6.

Row 2 and all WS rows: Purl 6.

Row 3: 3/3 RC.

Row 8: Purl 6.

Rep Rows 1-8 for 3/3 RC Cable pattern.

4/4 Center Cable (worked on 12 sts over 12 rows)

Row 3: K4, 4/4 LC, k4.

Row 9: K4, 4/4 RC, k4.

Yoke

Row 11: P 7, (~~3/3 LC~~) twice, 3/3 RC (twice), p7.

Back

Size S only:

Row 1 (RS): Inc 1 st in first st, p1, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC ~~LC~~ Cable) 3 times, p1, inc 1 st in last st - 84 sts.

Size M only:

Row 1 (RS): Inc 1 st in first st, p1, sl 1, p2, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC ~~LC~~ Cable) 3 times, p2, sl 1, p1, inc 1 st in last st - 90 sts.

Size L only:

Row 1 (RS): Inc 1 st in first st, k2, p2, sl 1, p2, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC ~~LC~~ Cable) 3 times, p2, sl 1, p2, k2, inc 1 st in last st - 96 sts.

Size 1X only:

Row 1 (RS): Inc 1 st in first st, p1, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC ~~LC~~ Cable) 4 times, p1, inc 1 st in last st - 106 sts.

Size 2X only:

Row 1 (RS): Inc 1 st in first st, k3, p2, sl 1, p2, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC ~~LC~~ Cable) 4 times, p2, sl 1, p2, k3, inc 1 st in last st - 120 sts.

Shape Waist

Size S only:

Inc Row: K5, p2, sl 1, inc 1 st in next st, p1, (work **next row** ~~Row 3~~ of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row** ~~Row 3~~ of 3/3 ~~LC~~ RC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, k5 - 112 sts; 14 sts have been increased in 14 center p2 sections.

Size M only:

Inc Row: P2, work **next row Row-3** of 3/3 LC Cable, p2, sl 1, inc 1 st in next st, p1, (work **next row Row-3** of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row-3** of 3/3 **LC RC** Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work **next row Row-3** of 3/3 **LC RC** Cable, p2 - 118 sts; 14 sts have been increased in 14 center p2 sections.

Size L only:

Inc Row: P2, sl 1, p2, work **next row Row-3** of 3/3 LC Cable, p2, sl 1, inc 1 st in next st, p1, (work **next row Row-3** of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row-3** of 3/3 **LC RC** Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work **next row Row-3** of 3/3 **LC RC** Cable, p2, sl 1, p2 - 124 sts; 14 sts have been increased in 14 center p2 sections.

Size 1X only:

Inc Row: K5, p2, sl 1, inc 1 st in next st, p1, (work **next row Row-3** of 3/3 >LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, **next row Row-3** of 3/3 **LC RC** Cable) 4 times, p1, inc 1 st in next st, sl 1, p2, k5 - 138 sts; 18 sts have been increased in 18 center p2 sections.

Size 2X only:

Inc Row: K3, p2, sl 1, p2, work **next row Row-3** of 3/3 LC Cable, p2, sl 1, inc 1 st in next st, p1, (work **next row Row-3** of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row-3** of 3/3 **LC RC** Cable) 4 times, inc 1 st in next st, p1, sl 1, p2, work **next row Row-3** of 3/3 **LC RC** Cable, p2, sl 1, p2, k3 - 156 sts; 18 sts have been increased in 18 center p2 sections.

SLEEVES (make 2)

Note: For left sleeve, work 3/3 LC Cable pattern. For right sleeve work 3/3 RC Cable pattern

Size S only:

Row 1 (RS): Inc 1 st in first st, p1, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, **p2 k2**, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p1, inc 1 st in last st - 48 sts.

Size M only:

Row 1 (RS): Inc 1 st in first st, p2, sl 1, (p 2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, inc 1 st in last st - 56 sts.

Size L only:

Row 1 (RS): Inc 1 st in first st, k3, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, k3, inc 1 st in last st - 62 sts.

Size 1X only:

Row 1 (RS): Inc 1 st in first st, work Row 1 of 3/3 LC Cable, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, work Row 1 of 3/3 LC Cable, inc 1 st in last st - 68 sts.

Size 2X only:

Row 1 (RS): Inc 1 st in first st, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 3 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 3 times, sl 1, inc 1 st in last st - 74 sts.

All Sizes:

Continue to work in pattern as established, inc 1 st each edge on **every RS row 3 (3, 3, 3, 5) more times every 6 1/2 in. (16.5 cm) 2 more times - 52 (60, 66, 72, 78) 54 (62, 68, 76, 84) sts.** End with a WS row. Cast on 4 sts at beg of next 2 rows - ~~60 (68, 74, 80, 86)~~ **62 (70, 76, 84, 92) sts.**

Work even in pattern as established until Sleeve measures ~~21 in. (53.5 cm)~~ **17 (18, 18, 18 1/2, 19) in. (43 (45.5, 45.5, 47, 48.5) cm)** from pick-up row. Bind off.

Schematic corrected.

MATERIALS

- 620-098 Lion Brand Wool-Ease Yarn: Natural Heather
12, 15, 19, 19 Balls
- Lion Brand Knitting Needles- Size 8 [5 mm]
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Split Ring Stitch Markers

- Large-Eye Blunt Needles (Set of 6)
- Additional Materials
Circular knitting needle size 7 (4.5 mm), 24 in. (60 cm) long

GAUGE:

18 sts + 24 rows = 4 in. (10 cm) in St st (k on RS, p on WS) with larger needles.
22 sts = 4 in. (10 cm) in cable patterns with larger needles. BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you fewer stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

STITCH EXPLANATION:

3/3 LC (3 over 3 left cross) Slip 3 sts to cable needle and hold in front, k3, then k3 from cable needle.

3/3 RC (3 over 3 right cross) Slip 3 sts to cable needle and hold in back, k3, then k3 from cable needle.

3/2 LC (3 over 2 left cross) Slip 3 sts to cable needle and hold in front, p2, then k3 from cable needle.

2/3 RC (2 over 3 right cross) Slip 2 sts to cable needle and hold in back, k3, then p2 from cable needle.

4/4 LC (4 over 4 left cross) Slip 4 sts to cable needle and hold in front, k4, then k4 from cable needle.

4/4 RC (4 over 4 right cross) Slip 4 sts to cable needle and hold in back, k4, then k4 from cable needle.

PATTERN STITCHES

3/3 LC Cable (worked on 6 sts over 8 rows)

Row 1, 5 and 7 (RS): Knit 6.

Row 2 and all WS rows: Purl 6.

Row 3: 3/3 LC.

Row 8: Purl 6.

Rep Rows 1-8 for 3/3 LC Cable pattern.

3/3 RC Cable (worked on 6 sts over 8 rows)

Row 1, 5 and 7 (RS): Knit 6.

Row 2 and all WS rows: Purl 6.

Row 3: 3/3 RC.

Row 8: Purl 6.

Rep Rows 1-8 for 3/3 RC Cable pattern.

4/4 Center Cable (worked on 12 sts over 12 rows)

Row 1, 5, 7 and 11 (RS): Knit 12.

Row 2 and all WS rows: Purl 12.

Row 3: 4/4 LC, k4.

Row 9: K4, 4/4 RC.

Row 12: Purl 12.

Rep Rows 1-12 for 4/4 Center Cable pattern.

NOTES:

Pullover is worked in 3 steps.

1. Yoke is knit lengthwise, then seamed at center back.

2. Stitches are picked up along one long edge of Yoke for Front, Back, and Sleeves, and worked downwards from Yoke to lower edge.

3. Stitches are picked up along opposite long edge of Yoke and worked upwards for garter yoke.



DRESS YOKE

With larger needles, cast on 26 sts.

Row 1 (RS): P3, k3, p4, k6, p4, k3, p3.

Row 2 and all WS rows: K1, k the knit sts and p the purl sts to last st, k1.

Row 3: P3, k3, p4, 3/3 LC, p4, k3, p3.

Row 5: Rep Row 1.

Row 7: P3, 3/2 LC, p2, k6, p2, 2/3 RC, p3.

Row 9: P5, 3/2 LC, 3/3 LC, 2/3 RC, p5.

Row 11: P7, (3/3 RC) twice, p7.

Row 13: P5, 2/3 RC, 3/3 LC, 3/2 LC, p5.

Row 15: P3, 2/3 RC, p2, k6, p2, 3/2 LC, p3.

Row 16: Rep Row 2.

Rep Rows 1-16 until piece measures 44 (47, 52, 58, 66) in. (111.5 (119.5, 132, 147.5, 167.5) cm), end with Row 2. Bind off. Sew short ends together for center back seam.

Mark for Front, Back and Sleeves

Along one long edge of Yoke, place markers 7 (7 1/2, 8, 9 1/2, 10 3/4) in. (18 (19, 20.5, 24, 27.5) cm) on each side of center back seam for Back. Place markers 8 (8 1/2, 10, 10, 11 1/2) in. (20.5 (21.5, 25.5, 25.5, 29) cm) from each of the first markers for Sleeves. Rem 14 (15, 16, 19, 21 1/2) in. (35.5 (38, 40.5, 48.5, 54.5) cm) is for Front. Place corresponding markers along opposite long edge of Yoke, for Collar.

BACK

From RS with larger needles, pick up and k 82 (88, 94, 104, 118) sts between back markers.

Size S only:

Foundation Row (WS): (K2, p6, k2, p1) 3 times, k2, p12, (k2, p1, k2, p6) 3 times, k2 - 82 sts.

Row 1 (RS): Row 1 (RS): Inc 1 st in first st, p1, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC Cable) 3 times, p1, inc 1 st in last st - 84 sts.

Size M only:

Foundation Row (WS): P3, (k2, p6, k2, p1) 3 times, k2, p12, (k2, p1, k2, p6) 3 times, k2, p3 - 88 sts.

Row 1 (RS): Inc 1 st in first st, p1, sl 1, p2, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC Cable) 3 times, p2, sl 1, p1, inc 1 st in last st - 90 sts.

Size L only:

Foundation Row (WS): P6, (k2, p6, k2, p1) 3 times, k2, p12, (k2, p1, k2, p6) 3 times, k2, p6 - 94 sts.

Row 1 (RS): Inc 1 st in first st, k2, p2, sl 1, p2, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC Cable) 3 times, p2, sl 1, p2, k2, inc 1 st in last st - 96 sts.

Size 1X only:**Foundation Row (WS):** (K2, p6, k2, p1) 4 times, k2, p12, (k2, p1, k2, p6) 4 times, k2 - 104 sts.**Row 1 (RS):** Inc 1 st in first st, p1, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC Cable) 4 times, p1, inc 1 st in last st - 106 sts.**Size 2X only:****Foundation Row (WS):** P7, (k2, p6, k2, p1) 4 times, k2, p12, (k2, p1, k2, p6) 4 times, k2, p7 - 118 sts.**Row 1 (RS):** Inc 1 st in first st, k3, p2, sl 1, p2, (work Row 1 of 3/3 LC Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 RC Cable) 4 times, p2, sl 1, p2, k3, inc 1 st in last st - 120 sts.**All Sizes:****Shape Armhole****Row 2 and all WS rows:** K the k sts and p the p sts. Continue as established, inc 1 st at beg and end of each RS row, working new sts in pattern until there are 90 (96, 102, 112, 130) sts, end with a WS row.

Cast on 4 sts at beg of next 2 rows - 98 (104, 110, 120, 138) sts. Work even in pattern as established until Row 2 of second rep of Center Cable has been worked.

Shape Waist**Size S only:****Inc Row:** K5, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 RC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, k5 - 112 sts; 14 sts have been increased in 14 center p2 sections.**Size M only:****Inc Row:** Inc Row: P2, work next row of 3/3 LC Cable, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 RC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work next row of 3/3 RC Cable, p2 - 118 sts; 14 sts have been increased in 14 center p2 sections.**Size L only:****Inc Row:** P2, sl 1, p2, work next row of 3/3 LC Cable, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 RC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work next row of 3/3 RC Cable, p2, sl 1, p2 - 124 sts; 14 sts have been increased in 14 center p2 sections.**Size 1X only:****Inc Row:** K5, p2, sl 1, inc 1 st in next st, p1, work next row of 3/3 LC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, next row of 3/3 RC Cable) 4 times, p1, inc 1 st in next st, sl 1, p2, k5 - 138 sts; 18 sts have been increased in 18 center p2 sections.**Size 2X only:****Inc Row:** Inc Row: K3, p2, sl 1, p2, work next row of 3/3 LC Cable, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 LC Cable, inc 1 st in next st p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 RC Cable) 4 times, inc 1 st in next st, p1, sl 1, p2, work next row of 3/3 RC Cable, p2, sl 1, p2, k3 - 156 sts; 18 sts have been increased in 18 center p2 sections.**All sizes:**

Continue in pattern as established, inc 1 st in each of the center 14 (14, 14, 18, 18) purl sections every 6 1/2 in. (16.5 cm), working inc rows when working Row 3 of 4/4 Center Cable pattern, 4 (4, 4, 3, 2) more times - 168 (174, 180, 192, 192) sts.

Continue to work even in pattern as established until piece measures 40 (41, 41, 42, 42) in. (101.5 (104, 104, 106.5, 106.5) cm) from pick-up row. Bind off.

FRONT

From RS with larger needles, pick up and k 82 (88, 94, 104, 118) sts between Front markers and work same as Back.

SLEEVES (make 2)**Note:** For left sleeve, work 3/3 LC Cable pattern. For right sleeve work 3/3 RC Cable pattern.

From RS with larger needles, pick up and k 46 (54, 60, 66, 72) sts between Sleeve markers.

Size S only:**Foundation Row (WS):** (K2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times - 46 sts.

Row 1 (RS): Inc 1 st in first st, p1, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p1, inc 1 st in last st – 48 sts.

Size M only:

Foundation Row (WS): P1, k2, p1, (k2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times, p1, k2, p1 - 54 sts.

Row 1 (RS): Inc 1 st in first st, p2, sl 1, (p 2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, inc 1 st in last st – 56 sts.

Size L only:

Foundation Row (WS): P4, k2, p1, (k2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times, p1, k2, p4 - 60 sts.

Row 1 (RS): Inc 1 st in first st, k3, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, k3, inc 1 st in last st - 62 sts.

Size 1X only:

Foundation Row (WS): K1, p6, k2, p1, (k2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times, p1, k2, p6, k1 - 66 sts.

Row 1 (RS): Inc 1 st in first st, work Row 1 of 3/3 LC Cable, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, work Row 1 of 3/3 LC Cable, inc 1 st in last st - 68 sts.

Size 2X only:

Foundation Row (WS): K1, p1, (k2, p6, k2, p1) 3 times, k2, (p1, k2, p6, k2) 3 times, p1, k1 - 72 sts.

Row 1 (RS): Inc 1 st in first st, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 3 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 3 times, sl 1, inc 1 st in last st - 74 sts.

All Sizes:

Continue to work in pattern as established, inc 1 st each edge every RS row 3 (3, 3, 3, 5) more times - 54 (62, 68, 76, 84) sts. End with a WS row. Cast on 4 sts at beg of next 2 rows - 62 (70, 76, 84, 92) sts.

Work even in pattern as established until Sleeve measures 17 (18, 18 1/2, 19) in. (43 (45.5, 45.5, 47, 48.5) cm) from pick-up row. Bind off.

GARTER STITCH YOKE

From RS with smaller circular needle and starting at center back, pick up and knit 21 (22, 23, 27, 30) sts along half back, 24 (27, 30, 33, 36) sts along first sleeve, 41 (44, 47, 54, 60) sts along front, 24 (27, 30, 33, 36) sts along second sleeve and 20 (22, 24, 27, 30) sts along second half of back - 130 (142, 154, 174, 192) sts.

Work back and forth in Garter st (k every row), dec 13 (14, 15, 17, 19) sts evenly spaced every 6th row 3 times - 91 (100, 109, 123, 135) sts.

Sizes L, 1X and 2X only:

Knit 5 rows.

Continue in Garter st, dec (15, 17, 19) sts evenly spaced across row - (94, 106, 116) sts.

All Sizes:

Work even until Garter Stitch Yoke measures 3 in. (7.5 cm) from pick up row. Bind off.

FINISHING

Sew Garter Stitch Yoke at center back. Sew armhole seams. Sew side and Sleeve seams. Weave in ends.

ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>dec = decreas(e)(s)(ing)</u>
<u>inc = increas(e)(s)(ing)</u>	<u>k = knit</u>
<u>p = purl</u>	<u>rep = repeat(s)(ing)</u>
<u>RS = right side</u>	<u>sl = slip</u>
<u>St st = Stockinette stitch</u>	<u>st(s) = stitch(es)</u>
<u>WS = wrong side</u>	

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

**Wool-Ease®* (Article #620).

- *Solid, Heather, Twist*: 80% acrylic, 20% wool
- *Sprinkles, Wheat, Mushroom, Rainbow Mist*: 86% acrylic, 10% wool, 4% rayon
- *Glitter/Multi-colors*: 78% acrylic, 19% wool, 3% polyester
- *Frosts*: 70% acrylic, 20% wool, 10% polyamide
- *Prints*: 80% acrylic, 20% wool

; package size: **Solid, Heather, Twist**: 3 oz/85g; 197 yd/180m balls
Sprinkles, Wheat, Mushroom, Rainbow Mist: 3 oz/85g; 197 yd/180m balls
Glitter/Multi-colors: 2.5 oz./70g; 162 yd/146m balls
Frosts: 2.5 oz./70g; 162 yd/146m balls
Prints: 2.5 oz/70g; 162 yd/146m balls



We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

**For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!**

Copyright ©1998-2011 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.