



**Knitting Patterns for Sale**  
**Lion Brand® Wool-Ease®**  
**Forever Classic Heirloom Cables Adult Cardigan**  
Pattern Number: 60687AD



**Knitting Patterns for Sale from Lion Brand Yarn**  
**Lion Brand® Wool-Ease®**  
**Forever Classic Heirloom Cables Adult Cardigan**  
 Pattern Number: 60687AD

**SKILL LEVEL:** Intermediate

**SIZE:** Small, Medium, Large, 1X

**S (M, L, 1X)**

**Finished Chest 42 (46, 48, 54) in. (106.5 (117, 122, 137) cm)**

**Finished Length 30 (30½, 31, 31½) in. (76 (77.5, 78.5, 80) cm)**

**Note:** Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

**CORRECTIONS:** None

**MATERIALS**

- 620-098 Lion Brand Wool-Ease®: Natural Heather  
9 (10, 11, 12) Balls
- Lion Brand Knitting Needles- Size 6 [4.00 mm]
- Lion Brand Knitting Needles- Size 8 [5 mm]
- Lion Brand Cable Needles (Set of 2)
- Large-Eye Blunt Needles (Set of 6)
- Additional Materials  
6 buttons ¾ in. (19 mm) diameter

**GAUGE:**

18 sts + 24 rows = 4 in. (10 cm) in St st (k on RS, p on WS) with larger needles. BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you less stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

**STITCH EXPLANATION:**

**2/3 RC (2 over 3 right cross)** Slip next 2 sts to cable needle and hold in back, k3, then p2 from cable needle.

**3/2 LC (3 over 2 left cross)** Slip next 3 sts to cable needle and hold front, p2, then k3 from cable needle.

**3/3 RC (3 over 3 right cross)** Slip next 3 sts to cable needle and hold in back, k3, then k3 from cable needle.

**3/3 LC (3 over 3 left cross)** Slip next 3 sts to cable needle and hold in front, k3, then k3 from cable needle.

**PATTERN STITCHES**

**K1, p1 Rib**

**Row 1 (RS):** K1, \*p1, k1; rep from \* to end.

**Row 2:** P1, \*k1, p1; rep from \* to end.

Rep Rows 1 and 2 for K1, p1 Rib.

**Cable Panel (worked over 26 sts)**

**Row 1 (RS):** P3, k3, p4, k6, p4, k3, p3.

**Rows 2, 4 and 6:** K3, p3, k4, p6, k4, p3, k3.

**Row 3:** P3, k3, p4, 3/3 LC, p4, k3, p3.

**Row 5:** Rep Row 1.  
**Row 7:** P3, 3/2 LC, p2, k6, p2, 2/3 RC, p3.  
**Row 8:** K5, p3, k2, p6, k2, p3, k5.  
**Row 9:** P5, 3/2 LC, 3/3 LC, 2/3 RC, p5.  
**Row 10:** K7, p12, k7.  
**Row 11:** P7, (3/3 RC) twice, p7.  
**Row 12:** Rep Row 10.  
**Row 13:** P5, 2/3 RC, 3/3 LC, 3/2 LC, p5.  
**Row 14:** Rep Row 8.  
**Row 15:** P3, 2/3 RC, p2, k6, p2, 3/2 LC p3.  
**Row 16:** Rep Row 2.  
 Rep Rows 1-16 for Cable Panel.

## BACK

With smaller needles, cast on 101 (109, 117, 125) sts.  
 Work in k1, p1 Rib for 1½ in (4 cm), ending with a WS row, inc 21 (23, 23, 23) sts evenly across last row – 122 (132, 140, 148) sts.

Change to larger needles.

**Row 1 (RS):** P12 (17, 21, 25), \*k5, work Row 1 of Cable Panel across next 26 sts; rep from \* twice more, k5, p12 (17, 21, 25).

**Row 2:** K12 (17, 21, 25), \*p5, work Row 2 of Cable Panel across next 26 sts; rep from \* twice more, p5, k12 (17, 21, 25).

Continue in pattern as established until work measures 19 in. (48.5 cm) from beg, ending with a WS row.

## Shape Armholes

Maintaining pattern as established, bind off 5 (6, 7, 8) sts beg next 2 rows, then dec 1 st each edge every other row 4 (5, 7, 8) times more – 104 (110, 112, 116) sts.

Continue until armhole measures 10 (10½, 11, 11½) in. (25.5 (26.5, 28, 29) cm), ending with a WS row.

## Shape Shoulders and Neck

**Next Row:** Bind off 11 (12, 12, 12) sts, work until there are 25 (26, 27, 28) sts on right-hand needle for right shoulder, join a second ball of yarn and bind off center 32 (34, 34, 36) sts for neck, work remaining stitches for left shoulder.

**Next Row:** Working both shoulders at the same time, with separate balls of yarn, bind off 11 (12, 12, 12) sts for left shoulder, work to last 2 sts, dec 1 st for neck, working on right shoulder sts, dec 1 st for neck, work remaining sts for right shoulder.

Continue to bind off 11 (12, 12, 12) sts at each shoulder edge once, then 11 (11, 12, 13) sts once. AT THE SAME TIME, dec 1 st at each neck edge twice more.


## LEFT FRONT

With smaller needles, cast on 51 (53, 57, 63) sts. Work in k1, p1 Rib for 1½ in (4 cm), ending with a WS row, inc 6 (8, 8, 8) sts evenly across last row – 57 (61, 65, 71) sts.  
 Change to larger needles.

**Row 1 (RS):** P12 (17, 21, 25), k5, work Row 1 of Cable Panel across next 26 sts, k5, p9 (8, 8, 10).

**Row 2:** K9 (8, 8, 10), p5, work Row 2 of Cable Panel across next 26 sts, p5, k12, (17, 21, 25).

Continue to work in pattern as established until piece



measures 8 rows less than Back to beg of armhole shaping, ending with a WS row.

### Shape Front Neck

Working in pattern as established, dec 1 st at end of RS rows (neck edge) every 4th row 12 (12, 12, 15) times, then every 6th row 3 times. AT THE SAME TIME, when piece measures same length as Back to armhole, end with a WS row.

### Shape Armhole

**Next Row (RS):** Bind off 5 (6, 7, 8) sts, work to last 2 sts, knit 2 sts together.

Continue to work neck decreases as established. AT SAME TIME, dec 1 st at armhole edge every other row 4 (5, 7, 8) times – 33 (35, 36, 37) sts.

Continue to work until piece measures same length as Back to shoulder shaping, ending with a WS row.

### Shape Shoulder

Bind off 11 (12, 12, 12) sts at beg of RS rows twice, then 11 (11, 12, 13) sts once.

### RIGHT FRONT


Work k1, p1 Rib as for Left Front.

Change to larger needles.

**Row 1 (RS):** P9 (8, 8, 10), k5, work Row 1 of Cable Panel across next 26 sts, k5, p12 (17, 21, 25).

**Row 2:** K12 (17, 21, 25), p5, work Row 2 of Cable Panel across next 26 sts, p5, k9 (8, 8, 10).

Continue to work in pattern as established and work as for Left Front, reversing all shaping.



### SLEEVE (make 2)

With smaller needles, cast on 41 (43, 43, 45) sts. Work k1, p1 Rib for 1 in. (2.5 cm), inc 11 sts evenly across last row – 52 (54, 54, 56) sts.

Change to larger needles.

**Row 1 (RS):** P8 (9, 9, 10), k5, work Row 1 of Cable Panel across next 26 sts, k5, p8 (9, 9, 10).


**Row 2:** K8 (9, 9, 10), p5, work Row 2 of Cable Panel across next 26 sts, p5, k8 (9, 9, 10).

Work in pattern as established, inc 1 st each edge every 6th row 15 (15, 16, 16) times, working new sts in Reverse St st – 82 (84, 86, 88) sts.

Continue until Sleeve measures 17 (18, 18, 18) in. (43 (45.5, 45.5, 45.5) cm) from beg, ending with a WS row.

**Shape Cap**

Bind off 2 (3, 3, 4) sts beg next 2 rows, then dec 1 st each edge every other row 8 (10, 12, 14) times, then every row 25 (23, 21, 19) times. Bind off remaining 12 (12, 14, 14) sts.

**FINISHING**

Sew shoulder seams.

**Button and Buttonhole Band**

With smaller needles, cast on 9 sts.

**Row 1 (RS):** K2, (p1, k1) 3 times, k1.

**Row 2:** (K1, p1) 4 times, k1.

Rep last 2 rows until band, when slightly stretched, measures same as Left Front edge to beg of front neck shaping. Sew band in place as you knit. Mark positions for 6 buttons on band with first button½ in. (1.5 cm) below beg of Front shaping, last button½ in. (1.5 cm) above lower edge, and remaining 4 buttons spaced evenly in between. Continue to work piece to fit around neck and down Right Front, sewing in place as you knit and working buttonholes to correspond to markers as follows:

**Row 1 (RS):** K2, p1, bind off 2 sts, k1, p1, k2.

**Row 2:** Work as established casting on 2 sts over bound-off sts.

Bind off in rib. Sew side and Sleeve seams. Sew in Sleeves. Sew buttons opposite buttonholes.

**ABBREVIATIONS / REFERENCES**

Click for explanation and illustration

<u>beg = begin(s)(ning)</u>	<u>dec = decreas(e)(s)(ing)</u>
<u>inc = increas(e)(s)(ing)</u>	<u>k = knit</u>
<u>p = purl</u>	<u>rep = repeat(s)(ing)</u>
<u>RS = right side</u>	<u>St st = Stockinette stitch</u>
<u>st(s) = stitch(es)</u>	<u>WS = wrong side</u>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.



*\*Wool-Ease® (Article #620) is a 4-ply worsted-weight yarn. It has the feel, warmth and softness of wool with the easy care of acrylic. • Solid, Heather, Twist: 3 oz/85g (197 yd/180m) balls 80% acrylic, 20% wool • Sprinkles, Wheat, Mushroom, Rainbow Mist: 3 oz/85g (197 yd/180m) balls 86% acrylic, 10% wool, 4% rayon • Glitter/Multi-colors: 2.5 oz./70g (162 yd/146m) balls 78% acrylic, 19% wool, 3% polyester • Frosts: 2.5 oz./70g (162 yd/146m) balls 70% acrylic, 20% wool, 10% polyamide • Prints: 2.5 oz/70g (162 yd/146m) balls 80% acrylic, 20% wool*

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

**For hundreds of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)**

**To order visit our website [www.e-yarn.com](http://www.e-yarn.com) or call: (800) 258-YARN (9276) any time!**

Copyright ©1998-2005 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company. If you would like to send a copy of this page to someone, click [here](#) and we will be happy to do it for you.