



Free Knitting Pattern
Lion Brand® Vanna's Glamour™
Midnight Glamour Pullover
Pattern Number: L0010



Free Knitting Pattern from Lion Brand Yarn

Lion Brand® Vanna's Glamour™

Midnight Glamour Pullover

Pattern Number: L0010

SKILL LEVEL: Experienced

SIZE: Small, Medium, Large, 1X, 2X

Finished Bust 29 (32, 34, 39, 42) in. (73.5 (81.5, 86.5, 99, 106.5 cm), unstretched

Finished Length 21 (21 1/2, 22, 23, 23 1/2) in. (71 (78.5, 86.5, 99, 106.5) cm)

Sizing Note: Pullover is meant to fit with negative ease (Pullover size should be less than body measurement) for a snug fit.

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: (applied Jan 31, 2011)

STITCH EXPLANATIONS

~~2/2 LC (2 over 2 left cross) Slip 2 sts to cable needle and hold in front, k2, then k2 from cable needle.~~

~~2/2 RC (2 over 2 right cross) Slip 2 sts to cable needle and hold in back, k2, then k2 from cable needle.~~

BACK

Beg Cable Pattern (Moving Cables Inwards)

Row 27 (Cable Row): Work in K2, p2 Rib to marker, sm, 6/2 LC, k to 8 sts before next marker, ~~sm~~, 6/2 RC, sm; work in K2, p2 Rib to end of row.

Row 28: Work in K2, p2 Rib as established to marker, remove marker, work in K2, p2 Rib as established over 2 sts, pm, ~~p2, k2,~~ continue in K2, p2 over next 4 sts, p to 6 sts before next marker, ~~k2,~~ ~~p2~~ work in K2, p2 Rib as established over next 4 sts, pm, work K2, p2 Rib as established over 2 sts, remove marker, work in K2, p2 Rib as established across.

MATERIALS

- 861-153 Lion Brand Vanna's Glamour: Onyx
5 5, 6, 6, 7 Balls
- Lion Brand Knitting Needles- Size 4 [3.5 mm]
- Lion Brand Stitch Holders
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Split Ring Stitch Markers
- Large-Eye Blunt Needles (Set of 6)
- Additional Materials
Circular knitting needle size 4 (3.5 mm), 16 in. (40 cm) long

GAUGE:

22 sts + 30 rows = 4 in. (10 cm) in St st (k on RS, p on WS). BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you less stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

STITCH EXPLANATION:

6/2 LC (6 over 2 left cross) Slip 6 sts to cable needle and hold in front, k2, then k2, p2, k2 from cable needle.

6/2 RC (6 over 2 right cross) Slip 2 sts to cable needle and hold in back, k2, p2, k2, then k2 from cable needle.

M1 (make 1) An increase worked by lifting the horizontal thread lying between needles and placing it onto left needle. Knit this new stitch through the back loop - 1 st increased.

M1P (make 1 st as if to purl) An increase worked by lifting the horizontal thread lying between the needles and placing it onto the left needle. Purl this new stitch through the back loop - 1 st increased.

ssk (slip, slip, knit) Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them tog - 1 st decreased.

PATTERN STITCHES

K2, p2 Rib (multiple of 4 sts + 2)

Row 1 (RS): P2, *k2, p2; rep from * across.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K2, p2 Rib.

K1, p1 Rib (multiple of 2 sts + 1)

Row 1: K1, *p1, k1; rep from * across.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

K1, p1 Rib worked in the round (multiple of 2 sts)

Rnd 1: *K1, p1; rep from * around.

Rep Rnd 1 for K1, p1 Rib worked in the round.

NOTES:

1. Sweater is worked in four pieces, Back, Front, and two Sleeves.
2. Markers are used to separate sections of rib patterns and placement of cables. Take care to place the markers as instructed.
3. When you see 'as established' in the instructions, this means to continue in the current st pattern. For example, to continue in a rib pattern, k the knit sts and p the purl sts.
4. When you see 'work even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, or binding off.
5. End with a WS row means that the last row you work should be a WS row, you will be ready to work a RS row.

BACK

Cast on 85 (93, 101, 117, 125) sts.

Row 1 (RS): Work in K2, p2 Rib over 22 (26, 30, 38, 42) sts, place marker (pm), work in K1, p1 Rib over 41 sts, pm, work in K2, p2 Rib to end of row.

Rows 2-20: Work in K2, p2 Rib to first marker, sl marker (sm), work in K1, p1 Rib to next marker, sm, work in K2, p2 Rib to end of row.

Remove markers.

Begin Cable Pattern

Notes:


1. On Row 21, cables will be established by working LC and RC.
2. As you work the LC and RC on Rows 22-54, the cables will move closer to the center of the Back.
3. Beginning on Row 55, the cables will move away from the center of the Back.

Row 21 (Cable Row): Work in K2, p2 Rib as established across 18 (22, 26, 34, 38) sts, 6/2 LC, k33, 6/2 RC, work in K2, p2 Rib as established to end of row.

Row 22: Work in K2, p2 Rib across 20 (24, 28, 36, 40) sts, pm, p2, k2, p37, k2, p2, pm, work in K2, p2 Rib to end of row.

Rows 23-26: Work in K2, p2 Rib to marker, sm, k the knit sts

Front and Back



and p the purl sts to next marker, sm, work in K2, p2 Rib to end of row.

Row 27 (Cable Row): Work in K2, p2 Rib to marker, sm, 6/2 LC, k to 8 sts before next marker, 6/2 RC, sm; work in K2, p2 Rib to end of row.

Row 28: Work in K2, p2 Rib to marker, remove marker, work in K2, p2 Rib as established over 2 sts, pm, continue in K2, p2 over next 4 sts, p to 6 sts before next marker, work in K2, p2 Rib as established over next 4 sts, pm, work K2, p2 Rib as established over 2 sts, remove marker, work in K2, p2 Rib to end of row.

Rows 29-52: Rep Rows 23-28 four more times.

Rows 53 and 54: K the knit sts and p the purl sts, slipping markers as you come to them.

Note: Unless otherwise indicated, slip markers on each row as you come to them.

Row 55 (Cable + Inc Row): Work in K2, p2 Rib to marker, k4, p2, sl 2 sts to cable needle and hold in back, k1, M1, p1, M1P, k1, M1, then k2 from cable needle, k3, sl 3 sts to cable needle and hold in front, k2, then (k1, M1, p1, M1P, k1, M1) from cable needle, p2, k4; work in K2, p2 Rib to end of row - 91 (99, 107, 123, 131) sts at the end of this row.

Row 56: Work in K2, p2 Rib to marker; p8, k2, p11, k2, p8; work in K2, p2 Rib to end of row.

Rows 57-60: K the knit sts and p the purl sts.

Row 61 (Cable Row): Work in K2, p2 Rib to marker; k4, 6/2 RC, k7, 6/2 LC, k4; work in K2, p2 Rib to end of row.

Row 62: Work in K2, p2 Rib to marker; p6, k2, p15, k2, p6; work in K2, p2 Rib to end of row.

Rows 63-66: K the knit sts and p the purl sts.

Row 67 (Cable Row): Work in K2, p2 Rib to 2 sts before marker; k4, 6/2 RC, k to 10 sts before next marker, 6/2 LC, k4; work in K2, p2 Rib to end of row.

Row 68: Work in K2, p2 Rib as established to 2 sts before marker, pm; p2, remove marker, p4, k2, p to 6 sts before marker, k2, p4, remove marker, p2; pm, work in K2, p2 Rib to end of row.

Rows 69-72: K the knit sts and p the purl sts.

Rows 73-90: Rep Rows 67-72 three more times.

Note: Until this section of the Back, you have been working 2 cables.

Beginning with Row 91, you will continue to work these 2 cables and you will establish 2 additional cables.

Row 91 (Cable + Inc Row): Work in K2, p2 Rib to marker, work in K2, p2 Rib over 2 sts; 6/2 RC, k6; sl 2 sts to cable needle and hold in back, k1, M1, p1, M1P, k2, then k2 from cable needle; k3; sl 4 sts to cable needle and hold in front, k2, then (k1, M1, p1, M1P, k2) from cable needle; k6, 6/2 LC; work in K2, p2 Rib to end of row - 95 (103, 111, 127, 135) sts.

Row 92: Work in K2, p2 Rib to marker, work in K2, p2 Rib over 2 sts; p2, k2, p12, k2, p11, k2, p12, k2, p2; work in K2, p2 Rib to end of row.

Rows 93-96: K the knit sts and p the purl sts.


Row 97 (Cable Row): Work in K2, p2 Rib to marker; 6/2 RC, k6, 6/2 RC, p1, k2, p2, k2, 6/2 LC, k6, 6/2 LC; work in K2, p2 Rib to end of row.

Row 98: Work in K2, p2 Rib to marker; p2, k2, p12, k2, (p2, k2) 3 times, p3, k2, p12, k2, p2; work in K2, p2 Rib to end of row.

Notes:

1. The cables will continue to move away from the center of the Back.
2. When the Back measures 13 (13 1/2, 13 1/2, 14 1/2, 14 1/2) in. (33 (34.5, 34.5, 37, 37) cm) from beg, you will continue to work the cable and rib patterns and you will also begin to shape

Front and Back



the armholes. This part of the instructions - when you are continuing the pattern and shaping the armholes - will begin when you see AT THE SAME TIME in the instructions.

3. Read carefully through the remaining instructions for the Back before continuing. You will also want to be sure you keep careful track of the row you are on.

Continue the cable pattern as follows, and AT THE SAME TIME when the piece measures 13 (13 1/2, 13 1/2, 14 1/2, 14 1/2) in. (33 (34.5, 34.5, 37, 37) cm) from beg end with a WS row and shape armholes following the instructions under Shape Armholes (below).

Rows 99-102: K the knit sts and p the purl sts.

Row 103 (Cable Row): Work in K2, p2 Rib to 2 sts before marker, 6/2 RC, k6, 6/2 RC, p1, (k2, p2) to 22 sts before next marker, k2, 6/2 LC, k6, 6/2 LC; work in K2, p2 Rib to end of row.

Note: On Row 104, you will change the position of the st markers.

Row 104: Work in K2, p2 Rib to 2 sts before marker, pm; p2, remove marker, k2, p12, k2, (p2, k2) to 19 sts before next marker, p3, k2, p12, k2, remove marker, p2; pm, work in K2, p2 Rib as established across.

Rows 105-108: K the knit sts and p the purl sts.

Rep Rows 103-108, 5 (6, 6, 6, 6) more times.

Next Row: Rep Row 103 and knit tog the center 2 sts of each cable - 4 sts decreased.

Shape Armholes

Note: Continue to work in cable and rib pattern while shaping the armholes.

Bind off 4 (5, 6, 9, 10) sts at beg of next 2 rows.

Bind off 3 sts at beg of next 0 (0, 0, 2, 2) rows.

(**Note:** When a '0' is indicated for your specific size, you do not bind off sts.)

Bind off 2 sts at beg of next 2 (2, 4, 2, 4) rows.

Work a k2tog at beg of next 2 (2, 2, 4, 4) rows - 81 (87, 89, 95, 97) sts.

K2tog at each end of every 3rd row 1 (2, 2, 3, 3) time(s) - 79 (83, 85, 89, 91) sts.

Note: When armhole shaping is completed, you will continue in the cable and rib pattern as explained above - 75 (79, 81, 85, 87) sts when the cable pattern is complete.

Work even in pattern as established until piece measures about 20 (20 1/2, 21, 22, 22 1/2) in. (51 (52, 53.5, 56, 57) cm) from beg, end with a WS row.

Shape Shoulders and Neck

Next Row (RS): K17 (19, 19, 21, 21) for right shoulder, join a 2nd ball of yarn, work in pattern as established over 41 (41, 43, 43, 45) sts and sl these sts to st holder, k to end of row for left shoulder.

You will now work both shoulders at once using separate balls of yarn.

Next Row: Bind off 4 (5, 5, 6, 6) sts, p to end of left shoulder sts; on right shoulder sts, bind off 2 sts, p to end.

Next Row: On right shoulder sts, bind off 4 (5, 5, 6, 6) sts, k to end; on left shoulder sts, bind off 2 sts, k to end.

Next Row: On left shoulder sts, bind off 5 (5, 5, 6, 6) sts, p to end; on right shoulder sts, p 2tog, p to end.

Next Row: On right shoulder sts, bind off 5 (5, 5, 6, 6) sts, k to end; on left shoulder sts, k2tog, k to end.

Bind off rem 5 (6, 6, 6, 6) sts on each shoulder.

FRONT

Cast on and work same as Back until piece measures 18 1/2 (19, 19 1/2, 20 1/2, 21) in. (47 (48.5, 49.5, 52, 53.5) cm) from beg, end with a WS row - 79 (83, 85, 89, 91) sts.

Note: All armhole shaping should be complete, but cable pattern may not be complete. In the following section of instructions, when instructed to work "as established", work in the cable pattern until the pattern is complete, then work even in established pattern without working more cable crosses.

Shape Neck

Next Row (RS): Work in pattern as established over 27 (29, 29, 31, 31) sts for left shoulder, join a 2nd ball of yarn, work in pattern as established over 25 (25, 27, 27, 29) sts and sl these sts to a holder for the front neck, work in pattern as established over rem 27 (29, 29, 31, 31) sts for right shoulder.

You will now work both shoulders at once using separate balls of yarn.

Next Row: On right shoulder sts, work in pattern as established; on left shoulder sts, bind off 4 sts, then work in pattern as established to end.

Next Row: On left shoulder sts, work in pattern as established; on right shoulder sts, bind off 4 sts, then work in pattern as established to end.

Next Row: On right shoulder sts, work in pattern as established; on left shoulder sts, bind off 3 sts, then work in pattern as established to end.

Next Row: On left shoulder sts, work in pattern as established to neck; on right shoulder sts, bind off 3 sts, then work in pattern as established to end.

Next Row: On right shoulder sts, work in pattern as established to neck; on shoulder sts, bind off 2 sts, then work in pattern as established to end.

Next Row: On left shoulder sts, work in pattern as established to neck; on right shoulder sts, bind off 2 sts, then work in pattern as established to end.

Next Row: On right shoulder sts, work in pattern as established; on left shoulder sts, k2tog, then work in pattern as established to end.

Next Row: On left shoulder sts, work in pattern as established; on right shoulder sts, k2tog, then work in pattern as established to end.

Next 3 Rows: Work even in pattern as established across sts of both shoulders.

Next Row: On left shoulder sts, work in pattern as established to last 3 sts, k2tog, k1; on right shoulder sts, k1, ssk, work in pattern as established to end - 14 (16, 16, 18, 18) sts remain on each shoulder.

Continue even in St st until armhole measures 7 (7, 7 1/2, 7 1/2, 8) in. (18 (18, 19, 19, 20.5) cm), end with a WS row.

SIZE S ONLY

Next Row (RS): On left shoulder sts, bind off 4 sts, work in pattern as established to neck; on right shoulder sts, work in pattern as established.

Next Row: On right shoulder sts, bind off 4 sts, work in pattern as established to neck; on left shoulder sts, work in pattern as established.

Next Row (RS): On left shoulder sts, bind off 5 sts, work in pattern as established to neck; on right shoulder sts, work in pattern as established.

Next Row: On right shoulder sts, bind off 5 sts, work in pattern as established to neck; on left shoulder sts, work in pattern as established.

SIZES M (L) ONLY

Next Row (RS): On left shoulder sts, bind off 5 sts, work in

pattern as established to neck; on right shoulder sts, work in pattern as established.

Next Row: On right shoulder sts, bind off 5 sts, work in pattern as established to neck; on left shoulder sts, work in pattern as established.

Rep last 2 rows once more.

SIZES 1X (2X) ONLY

Next Row (RS): On left shoulder sts, bind off 6 sts, work in pattern as established to neck; on right shoulder sts, work in pattern as established.

Next Row: On right shoulder sts, bind off 6 sts, work in pattern as established to neck; on left shoulder sts, work in pattern as established.

Rep last 2 rows once more.

ALL SIZES

Bind off rem 5 (6, 6, 6, 6) sts of each shoulder.

SLEEVE (make 2)

Cast on 51 (51, 59, 59, 59) sts.

Row 1 (RS): (K2, p2) 4 (4, 5, 5, 5) times, pm, work in K1, p1 Rib over 19 sts, pm, (p2, k2) 4 (4, 5, 5, 5) times.

Row 2 (WS): (P2, k2) 4 (4, 5, 5, 5) times, work in K1, p1 Rib over 19 sts, (k2, p2) 4 (4, 5, 5, 5) times.

Work even in rib pattern as established until piece measures 4 1/2 in. (11.5 cm) from beg, end with a WS row and remove markers on last row.

Begin Cable Pattern

Row 1 (Cable Row): Work in K2, p2 Rib as established over 16 (16, 20, 20, 20) sts, pm, 6/2 RC, k3, 6/2 LC, pm, work in K2, p2 Rib as established across.

Row 2: Work in K2, p2 Rib as established to 2 sts before marker, pm, work in K2, p2 Rib as established over 2 sts, remove marker; p19; remove marker, work in K2, p2 Rib as established over 2 sts, pm, work in K2, p2 Rib as established across.

Rows 3-6: K the knit sts and p the purl sts.

Row 7 (Cable Row): Work in K2, p2 Rib as established to marker; 6/2 RC, k to 8 sts before marker, 6/2 LC; work in K2, p2 Rib as established across.

1. The cables on the Sleeve will move away from the center of the Sleeve.
2. The Sleeve instruction contains the instruction, AT THE SAME TIME - read carefully through the remaining instructions for the Sleeve before continuing. You will also want to be sure you keep careful track of the row you are on.
3. You will repeat Rows 2-7 and shape Sleeves as instructed in the Shape Sleeve section. Stop repeating Rows 2-7 when all Sleeve incs have been completed.

Rep Rows 2-7, AT THE SAME TIME, shape Sleeve following instructions below.

Shape Sleeve


Notes:

1. Work Sleeve increases by working a M1 after the first and before the last st of a row.
2. Work the inc sts into the K2, p2 Rib pattern as established.
3. If the increase instructions for your specific size indicate a '0', this means you do not work an increase.

Inc 1 st at each end every 2 rows 0 (0, 0, 0, 4) times.

Inc 1 st at each end every 4 rows 0 (10, 6, 14, 13) times.

Inc 1 st at each end every 6 rows 9 (2, 5, 0, 0) times - 69 (75, 81, 87, 93) sts.



When all incs have been completed, work even in pattern (you will no longer be moving the cables away from the center of the Sleeve) until piece measures 12 (12, 12 1/2, 12 1/2, 13) in. (30.5 (30.5, 31.5, 31.5, 33) cm) from beg, end with a WS row.

Shape Cap

Note: Continue in pattern (no longer moving cables away from the center of the Sleeve) as established while you shape the Sleeve cap.

Bind off 4 (5, 7, 8, 9) sts at beg of the next 2 rows.

Bind off 3 sts at beg of the next 2 rows.

Bind off 2 sts at beg of the next 2 rows.

K2tog at each end of every other row 5 times, then every 3rd row 5 (6, 6, 6, 7) times, then every other row 3 (3, 3, 4, 4) times.

Bind off 2 sts at the beg of the next 4 rows.

Bind off 3 sts at the beg of the next 2 rows.

Bind off rem 11 (13, 15, 17, 19) sts.

FINISHING

Sew shoulder seams.

Neckband

From RS with circular needle and beg at left shoulder, pick up and k 24 sts evenly spaced along left front neck edge, k 25 (25, 27, 27, 29) sts from holder, pick up and k 24 sts evenly spaced along right front neck edge, 10 sts along right back neck edge, k 41 (41, 43, 43, 45) sts from holder, then pick up and k 10 sts along left back neck edge - 134 (134, 138, 138, 142) sts. Place marker for beg of rnd. Join by working the first st on left hand needle with the working yarn from the right hand needle and being careful not to twist sts.

Work in K1, p1 Rib worked in the rnd for 6 rnds.

Bind off in rib.

Sew in Sleeves. Sew side and Sleeve seams.

Weave in ends.

ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
beg = begin(s)(ning)	dec = decreas(e)(s)(ing)
inc = increas(e)(s)(ing)	k = knit
k2tog = knit 2 together	p = pur!
Pm = place marker	rem = remain(s)(ing)
rep = repeat(s)(ing)	RS = right side
sl = slip	sm = slip marker
St st = Stockinette stitch	st(s) = stitch(es)
WS = wrong side	

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2009 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.