



Free Knitting Pattern
Lion Brand® LB Collection® Superwash Merino
Shaped Cable Top
Pattern Number: L0178



Free Knitting Pattern from Lion Brand Yarn

Lion Brand® LB Collection® Superwash Merino

Shaped Cable Top

Pattern Number: L0178

SKILL LEVEL: Intermediate

SIZE: Small, Medium, Large, 1X, 2X

Finished Bust 37 (41, 45, 49, 53) in. (94 (104, 114.5, 124.5, 134.5) cm)

Finished Length 25 1/2 (26, 26 1/2, 27 1/2, 28) in. (65 (66, 67.5, 70, 71) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: (applied)

Work in K2, p2 Rib for 1 1/2 in. (4 cm), end with a **WSRS** row. Note: End with a **WS RS** row means that the last row you work should be a **WS RS** row, and the next row that you are ready to work will be a **RS WS** row.

Change to St st (k on RS, p on WS) and work for 13 (13, 13, 15, 15) rows.

Next (Decrease) Row (**WS RS**): K2, k2tog, knit to last 4 sts, ssk, k2 – 104 (112, 124, 136, 144) sts at the end of this row.

Rep last 14 (14, 14, 16, 16) rows until 98 (106, 118, 130, 138) sts rem.

MATERIALS

- 486-108 Lion Brand LB Collection Superwash Merino

Yarn: Denim

4 5, 6, 6, 7 Balls

- Lion Brand Knitting Needles- Size 6 [4.00 mm]

- Lion Brand Cable Needles (Set of 2)

- Lion Brand Split Ring Stitch Markers

- Lion Brand Stitch Holders

- Lion Brand Large-Eye Blunt Needles (Set of 6)

- Additional Materials

Circular knitting needle size 6 (4 mm), 29 in. (73.5 cm) long (for neckband)

**LB Collection® Superwash Merino (Article #486). 100% Superwash Merino Wool; package size: 3.50oz/100.00 gr. (306yds/280m) pull skeins*



GAUGE:

21 sts + 30 rows = 4 in. (10 cm) in St st (k on RS, p on WS);

24 sts + 32 rows = 4 in. (10 cm) in Body Cable Pattern.

BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you fewer stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

STITCH EXPLANATION:

4/4 LC (4 over 4 left cross) Slip 4 sts to cable needle and hold in front, k4, then k4 from cable needle.

M1 (make 1) An increase worked by lifting the horizontal thread lying between needles and placing it

onto left needle. Knit this new stitch through the back loop - 1 st increased.

ssk (slip, slip, knit) Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them together - 1 st decreased.

PATTERN STITCHES

K2, p2 Rib worked in rows (multiple of 4 sts + 2)

Row 1: P2, *k2, p2; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K2, p2 Rib.

K2, p2 Rib worked in the rnd (multiple of 4 sts)

Rnd 1: *K2, p2; rep from * around.

Rep Rnd 1 for K2, p2 Rib worked in the rnd.

Body Cable Pattern (over 12 sts)

Row 1 and all WS rows: K2, p8, k2.

Rows 2, 4 and 8: P2, k8, p2.

Row 6: P2, 4/4 LC, p2.

Row 10: P2, k8, p2.

Rep Rows 1-10 for Body Cable Pattern.

Sleeve Cable Pattern (over 14 sts)

Row 1 and all WS rows: K3, p8, k3.

Rows 2, 4, 6 and 8: P3, k8, p3.


Row 10: P3, 4/4 LC, p3.

Rep Rows 1-10 for Sleeve Cable Pattern.


NOTES:

1. Top is worked in 4 pieces; Back, Front, and 2 Sleeves. Each piece is worked from the lower edge upwards.
2. Cable patterns can be worked by reading the written instructions or following the charts.
3. At some points in pattern, instructions are separated by size into specific sections. Be sure to follow the instructions for your size.

Body Cable




Sleeve Cable



□ k on RS, p on WS

◻ p on RS, k on WS

 4/4 LC: sl 4 sts onto cn and hold in front, k4, k4 from cn

BACK

With straight needles, cast on 106 (114, 126, 138, 146) sts.

Work in K2, p2 Rib for 1 1/2 in. (4 cm), end with a RS row. **Note:**

End with a RS row means that the last row you work should be a RS row, and the next row that you are ready to work will be a WS row. Change to St st (k on RS, p on WS) and work for 13 (13, 13, 15, 15) rows.

Next (Decrease) Row (RS): K2, k2tog, knit to last 4 sts, ssk, k2 - 104 (112, 124, 136, 144) sts at the end of this row.

Rep last 14 (14, 14, 16, 16) rows until 98 (106, 118, 130, 138) sts rem.


Work even (without increasing or decreasing) in St st until piece measures 13 1/2 (14, 14, 14 1/2, 14 1/2) in. (34.5 (35.5, 35.5, 37, 37) cm) from beg, end with a WS row.

Size S Only

Next (Increase) Row: P3, *(k2, M1) twice, k2, p4, (k3, M1, k4, p4) 3 times; rep from * once more, (k2, M1) twice, k2, p3 - 110 sts at the end of this row.

Size M Only

Next (Increase) Row: P3, *(k2, M1, k2, M1, k2, p4, k3, M1, k4, p4) twice, (k2, M1) twice, k2*, p4, rep from * to * once more, p3 -



122 sts at the end of this row.

Size L Only

Next (Increase) Row:P3, (k2, M1) twice, k2, p4, (k3, M1, k4, p4) twice, *(k2, M1) twice, k2, p4, k3, M1, k4, p4; rep from * 2 more times, k3, M1, k4, p4, (k2, M1) twice, k2, p3 - 134 sts at the end of this row.

Size 1X Only

Next (Increase) Row:P4, *(k2, M1) twice, k2, p4, k3, M1, k4, p4*; rep from * to * 2 more times, k3, M1, k4, p4; rep from * to * 2 more times, (k2, M1) twice, k2, p4 - 148 sts at the end of this row.

Size 2X Only

Next (Increase) Row:P3, *(k2, M1) twice, k2, p4, k3, M1, k4, p4; rep from * 5 more times, (k2, M1) twice, k2, p3 - 158 sts at the end of this row.

Begin Cable Pattern

All Sizes

Next (Set Up) Row (WS): K1 (1, 1, 2, 1), *work Body Cable Pattern Row 1 over next 12 sts; rep from * across to last 1 (1, 1, 2, 1) st(s), k1 (1, 1, 2, 1).

Work even in pattern as established until piece measures 17 1/2 (18, 18, 19, 19) in. (44.5 (45.5, 45.5, 48.5, 48.5) cm) from beg, end with a WS row.

Shape Armholes

Bind off 4 (5, 6, 8, 10) sts at beg of next 2 rows.

Bind off 3 sts at beg of next 0 (2, 2, 2, 2) rows.

Bind off 2 sts at beg of next 4 (2, 4, 4, 4) rows.

Bind off 1 st at beg of next 4 (6, 6, 10, 10) rows - 90 (96, 102, 108, 114) sts when all bind offs have been completed.

Work even in pattern as established until armhole measures 7 1/2 (7 1/2, 8, 8, 8 1/2) in. (19 (19, 20.5, 20.5, 21.5) cm), end with a WS row.

Shape Neck

Mark center 38 sts for all sizes.

Sizes S (L, 2X) Only

Next (Decrease) Row (RS):Work in pattern as established to marker, join a 2nd ball of yarn, p3, (k3, k2tog, k3, p4) twice, k3, k2tog, k3, p3, then sl the 35 sts that rem between markers to holder for neck, work to end - 26 (32, 38) sts for each shoulder.

Sizes M (1X) Only

Next (Decrease) Row (RS):Work in pattern as established to marker, join a 2nd ball of yarn, k5, p4, (k3, k2tog, k3, p4) twice, k5, then sl the 36 sts that rem between markers to holder for neck, work to end - 29 (35) sts rem for each shoulder.

All Sizes

You will now be working both sides at the same time - each side with a separate ball of yarn.

Bind off 3 sts at each neck edge once.

Bind off 2 sts at each neck edge once.

Bind off rem 21 (24, 27, 30, 33) sts of each shoulder.

FRONT

Work Front same as Back until armhole measures 2 (2, 2 1/2, 2, 2 1/2) in. (5 (5, 6.5, 5, 6.5) cm).

Shape Neck

Mark center 16 sts for all sizes.

Sizes S (L, 2X) Only

Next (Decrease) Row: Work in pattern as established to marker, join a 2nd ball of yarn, p4, k3, k2tog, k3, p4, then sl the 15 sts rem between markers to holder for neck, work to end - 37 (43, 49) sts rem for each shoulder.

Sizes M (1X) Only

Next (Decrease) Row: Work in pattern as established to marker, join a 2nd ball of yarn, k1, k2tog, k3, p4, k3, k2tog, k1, then sl the 14 sts rem between markers to holder for neck, work to end - 40 (46) sts rem for each shoulder.

All Sizes

You will now be working both sides at the same time - each side with a separate ball of yarn.

Bind off 4 sts at each neck edge once.

Bind off 3 sts at each neck edge once.

Bind off 2 sts at each neck edge once.

Bind off 1 st at each neck edge 3 times - 25 (28, 31, 34, 37) sts rem for each shoulder.

Work 3 rows even.

Bind off 1 st at each neck edge.

Rep last 4 rows 3 more times - 21 (24, 27, 30, 33) sts rem for each shoulder.

Work even in pattern as established until armhole measures 8 (8, 8 1/2, 8 1/2, 9) in. (20.5 (20.5, 21.5, 21.5, 23) cm).

Bind off.

SLEEVES (make 2)

With straight needles, cast on 62 (66, 70, 74, 78) sts.

Mark center 14 sts.

Sizes S (L, 2X) Only

Row 1 (WS): *K2, p2; rep from * to first marker, slip marker (sm), k3, p3, k2, p3, k3, sm, **p2, k2; rep from ** to end of row.

Row 2 (RS): *P2, k2; rep from * to first marker, sm, p3, k3, p2, k3, p3, sm, **k2, p2; rep from ** to end of row.

Rep last 2 rows 2 more times.

Sizes M (1X) Only

Row 1 (WS): P2, *k2, p2; rep from * to first marker, slip marker (sm), k3, p3, k2, p3, k3, sm, p2, **k2, p2; rep from ** to end of row.

Row 2 (RS): K2, *p2, k2; rep from * to first marker, sm, p3, k3, p2, k3, p3, sm, k2, **p2, k2; rep from ** to end of row.

Rep last 2 rows 2 more times.

All Sizes


Next Row (WS): Work in K2, p2 Rib as established to first marker, sm, k3, p8, k3, sm, work in K2, p2 Rib as established to end of row.

Next (Cable) Row (RS): Knit to first marker, sm, p3, 4/4 LC, p3, sm, knit to end of row.

Note: Beg on next row, you will be working the Sleeve Cable Pattern sts across the 14 sts between markers. Begin with Row 1 of Sleeve Cable pattern.

Next 3 Rows: Work in St st to first marker, sm, beg with Row 1 work Sleeve Cable Pattern over next 14 sts, sm, work in St st to end of row.

Next (Increase) Row (RS): K1, M1, knit to first marker, sm, work Sleeve Cable Pattern as established over sts between markers, sm, k to last st, M1, k1.



Rep last 4 rows until there are 70 (70, 74, 78, 82) sts on needle.

Next 5 Rows: Work in St st to first marker, sm, work Sleeve Cable Pattern as established over next 14 sts, sm, work in St st to end of row.

Next (Increase) Row (RS): K1, M1, knit to first marker, sm, work Sleeve Cable Pattern as established over next 14 sts, sm, k to last st, M1, k1.

Rep last 6 rows until there are 78 (82, 86, 90, 94) sts on needle. Work even as established until Sleeve measures 7 (7 1/2, 7 1/2, 8, 8) in. (18 (19, 19, 20.5, 20.5) cm) from beg, end with a WS row.

Shape Cap

Bind off 4 (6, 6, 8, 8) sts at beg of next 2 rows.

Bind off 2 sts at beg of next 4 rows.

Bind off 1 st at beg of next 26 (26, 30, 30, 34) rows - 36 sts.

Bind off 2 sts at beg of next 2 rows.

Bind off 3 sts at beg of next 2 rows.

Bind off 4 sts at beg of next 2 rows.

Bind off rem 18 sts.

FINISHING

Sew shoulders.

Neckband

From RS, with circular needle, beg at left shoulder seam, pick up and k43 (43, 43, 45, 45) sts along left front neck, k the knit sts and p the purl sts across the front neck sts on holder, pick up and k43 (43, 43, 45, 45) sts along right front neck, 6 sts along right back neck, k the knit sts and p the purl sts across the back neck sts on holder, then pick up and k6 sts along left back neck - 148 (148, 148, 152, 152) sts. Place marker for beg of rnd. Join by working the first st on left hand needle with the working yarn from the right hand needle.

Work in K2, p2 Rib worked in the rnd, for 5 rnds.

Bind off in rib.

Sew in Sleeves. Sew side and Sleeve seams.

Weave in ends.

ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>k = knit</u>
<u>k2tog = knit 2 together</u>	<u>p = purl</u>
<u>rem = remain(s)(ing)</u>	<u>rep = repeat(s)(ing)</u>
<u>rnd(s) = round(s)</u>	<u>RS = right side</u>
<u>sl = slip</u>	<u>sm = slip marker</u>
<u>St st = Stockinette stitch</u>	<u>st(s) = stitch(es)</u>
<u>WS = wrong side</u>	

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011