



Free Knitting Pattern
Lion Brand® Feels Like Butta
Anderson Ranch Pullover
Pattern Number: L80020
Designed by Bobbie Fitzgerald



SKILL LEVEL – Easy+

SIZES

S (M, L, 1X, 2X)

Finished Bust About 38 (42, 46, 50, 54) in. (96.5 (106.5, 117, 127, 137) cm)

Finished Length About 25 1/2 (26, 26 1/2, 27, 27 1/2) in. (65 (66, 67.5, 68.5, 70) cm), not including hood

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- Lion Brand® Feels Like Butta (Art. #215)
 - 108 Dusty Blue 6 (7, 8, 9,10) balls
- Lion Brand® knitting needles size 6 (4 mm)
- Lion Brand® knitting needles size 8 (5 mm)
- Lion Brand® stitch markers
- Lion Brand® stitch holders
- Lion Brand® large-eyed blunt needle



ADDITIONAL MATERIALS

Circular knitting needle size 6 (4 mm), 24 in. (61 cm) long

Circular knitting needle size 8 (5 mm), 24 in. (61 cm) long

GAUGE

16 sts + 24 rows = about 4 in. (10 cm) in St st (k on RS, p on WS) with larger needles.

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS

M1 (make 1) An increase worked by lifting the horizontal strand lying between needles and placing it onto the left needle. Knit this new stitch through the back loop – 1 st increased.

skp Slip 1 stitch as if to knit, knit 1, pass slip stitch over knit stitch – 1 st decreased.

PATTERN STITCHES

K1, p1 Rib (worked over an even number of sts)

Row 1: *K1, p1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

K1, p1 Rib (worked over an odd number of sts)

Row 1: K1, *p1, k1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

TECHNIQUE EXPLANATION

3-Needle Bind Off

With RS together, hold in one hand 2 needles with equal number of sts on each. With 3rd needle, knit tog 1 st from each needle, *knit tog 1 st from each needle, pass first st worked over 2nd to bind off; rep from * across. Cut yarn and pull through last st to secure.

NOTES

1. Pullover is worked in 4 pieces: Back, Front, and 2 Sleeves.
2. Each piece is worked back and forth in rows from lower edge upwards.
3. Stitches are picked up around the neck edge for the hood.
4. The hood is worked back and forth in rows on a circular needle.
5. If desired, Back, Front and 2 Sleeves can also be worked on circular needles as if working with straight needles.
6. When you see 'work even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, or binding off.

Note: The following corrections have been incorporated into the pattern below. We are highlighting the corrections separately here so that if you have printed out an earlier version of the pattern you'll know what was changed.

CORRECTIONS (applied May 25th, 2018)

BACK

Work in St st (k on RS, p on WS) until piece measures about 16 1/2 in. (~~38~~ 42 cm) from beg, end with a WS row as the last row you work.

BACK

With smaller straight needles, cast on 75 (83, 91, 99, 107) sts.

Row 1 (RS): P2, *k1, p1; rep from * to last st, p1.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 until piece measures about 1 1/2 in. (4 cm) from beg, end with a WS row as the last row you work.

Change to larger straight needles.

Next Row (RS): P2, k1, p1 (for ribbed edge of side slit), k to last 4 sts, p1, k1, p2 (for ribbed edge of side slit).

Next Row: K2, p1, k1, p to last 4 sts, k1, p1, k2.

Rep last 2 rows until piece measures about 5 in. (12.5 cm) from beg.

Work in St st (k on RS, p on WS) until piece measures about 16 1/2 in. (42 cm) from beg, end with a WS row as the last row you work.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Shape Armholes

Row 1 (RS): Bind off 4 (5, 6, 7, 8) sts, k to end of row – you will have 71 (78, 85, 92, 99) sts in this row.

Row 2: Bind off 4 (5, 6, 7, 8) sts, p to end of row – 67 (73, 79, 85, 91) sts.

Row 3 (Decrease Row): K1, skp, k to last 3 sts, k2tog, k1 – 65 (71, 77, 83, 89) sts.

Row 4: Purl.

Rep Rows 3 and 4 for 4 (4, 5, 7, 9) more times – 57 (63, 67, 69, 71) sts in last row worked.

Work even in St st until armholes measure about 8 (8 1/2, 9, 9 1/2, 10) in. (20.5 (21.5, 23, 24, 25.5) cm), end with a WS row as the last row you work.

Shape Shoulders

Row 1 (RS): Bind off 5 (5, 6, 7, 7) sts, k to end of row – 52 (58, 61, 62, 64) sts.

Row 2: Bind off 5 (5, 6, 7, 7) sts, p to end of row – 47 (53, 55, 55, 57) sts.

Row 3: Bind off 6 (7, 7, 7, 7) sts, k to end of row – 41 (46, 48, 48, 50) sts.

Row 4: Bind off 6 (7, 7, 7, 7) sts, p to end of row – 35 (39, 41, 41, 43) sts.

Rows 5 and 6: Rep Rows 3 and 4 – 23 (25, 27, 27, 29) sts in Row 6.

Cut yarn. Place rem sts onto a holder for back neck.

FRONT

Cast on and work same as Back until piece measures about 11 in. (28 cm) from beg, end with a WS row as the last row you work.

Divide for Neck

Row 1 (RS): K35 (39, 43, 47, 51) for left side of neck, join a second ball of yarn and bind off center 5 sts, k to end of row for right side of neck – 35 (39, 43, 47, 51) sts for each side of neck.

You will now work both sides AT THE SAME TIME with separate balls of yarn.

Work even in St st on both sides, using separate balls of yarn, until piece measures same as Back to Shape Armholes, end with a WS row as the last row you work.

Shape Armholes

Row 1 (RS): On left side, bind off 4 (5, 6, 7, 8) sts, k to end of side; on right side, k to end of side – 31 (34, 37, 40, 43) sts on left side and 35 (39, 43, 47, 51) sts on right side.

Row 2: On right side, bind off 4 (5, 6, 7, 8) sts, p to end of side; on left side, p to end of side – 31 (34, 37, 40, 43) sts on each side.

Row 3 (Decrease Row): On left side, k1, skp, k to end of side; on right side, k to last 3 sts, k2tog, k1 – 30 (33, 36, 39, 42) sts on each side.

Row 4: On right side, p to end of side; on left side, p to end of side.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Rep Rows 3 and 4 for 4 (4, 5, 7, 9) more times – 26 (29, 31, 32, 33) sts on each side in last row worked.

Work even in St st on both sides, using separate balls of yarn, until armholes measure about 6 (6 1/2, 7, 7 1/2, 8) in. (15 (16.5, 18, 19, 20.5) cm), end with a WS row as the last row you work.

Shape Neck

Markers are placed on left and right front edges for hood placement. Place markers on sts as indicated. Do not place markers on needle.

Row 1 (RS): On left side, k to end of side and place a marker on last st made; on right side, bind off 4 (5, 5, 5, 5) sts, place a marker on first st bound-off, k to end of side – 26 (29, 31, 32, 33) sts on left side and 22 (24, 26, 27, 28) sts on right side.

Row 2: On right side, p to end of side; on left side, bind off 4 (5, 5, 5, 5) sts, p to end of side – 22 (24, 26, 27, 28) sts on each side.

Row 3: On left side, k to end of side; on right side, bind off 2 (2, 2, 2, 3) sts, k to end of side – 22 (24, 26, 27, 28) sts on left side and 20 (22, 24, 25, 25) sts on right side.

Row 4: On right side, p to end of side; on left side, bind off 2 (2, 2, 2, 3) sts, p to end of side – 20 (22, 24, 25, 25) sts on each side.

Rows 5 and 6: Rep Rows 3 and 4 – 18 (20, 22, 23, 22) sts on each side in Row 6.

Row 7: On left side, k to end of side; on right side, bind off 1 (1, 2, 2, 1) st(s), k to end of side – 18 (20, 22, 23, 22) sts on left side and 17 (19, 20, 21, 21) sts on right side.

Row 8: On right side, p to end of side; on left side, bind off 1 (1, 2, 2, 1) st(s), p to end of side – 17 (19, 20, 21, 21) sts on each side.

Work even in St st on both sides, using separate balls of yarn, until piece measures same as Back to Shape Shoulders, end with a WS row as the last row you work.

Shape Shoulders

Row 1 (RS): On left side, bind off 5 (5, 6, 7, 7) sts, k to end of side; on right side, k to end of side – 12 (14, 14, 14, 14) sts on left side and 17 (19, 20, 21, 21) sts on right side.

Row 2: On right side, bind off 5 (5, 6, 7, 7) sts, p to end of side; on left side, p to end of side – 12 (14, 14, 14, 14) sts on each side.

Row 3: On left side, bind off 6 (7, 7, 7, 7) sts, k to end of side; on right side, k to end of side – 6 (7, 7, 7, 7) sts on left side and 12 (14, 14, 14, 14) sts on right side.

Row 2: On right side, bind off 6 (7, 7, 7, 7) sts, p to end of side; on left side, p to end of side – 6 (7, 7, 7, 7) sts on each side.

Row 5: Bind off rem 6 (7, 7, 7, 7) sts of left side; on right side, k to end of side.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Bind off rem 6 (7, 7, 7, 7) sts of right side.

SLEEVES (make 2)

With smaller straight needles, cast on 40 (40, 42, 42, 44) sts.

Work in K1, p1 Rib until piece measures about 1 1/2 in. (4 cm) from beg, end with a WS row as the last row you work.

Change to larger straight needles.

Rows 1-6: Beg with a RS (knit) row, work in St st for 6 rows.

Row 7 (Increase Row – RS): K1, M1, k to last st, M1, k1 – 42 (42, 44, 44, 46) sts.

Rows 8-14: Beg with a WS row, work in St st for 7 rows.

Row 15: Rep Row 7 – 44 (44, 46, 46, 48) sts.

Rep Rows 8-15 for 6 (7, 8, 10, 11) more times – 56 (58, 62, 66, 70) sts.

Work even in St st until piece measures about 18 (18 1/2, 19, 19 1/2, 20) in. (45.5 (47, 48.5, 49.5, 51) cm) from beg, end with a WS row as the last row you work.

Shape Cap (top of Sleeve)

Row 1 (RS): Bind off 4 (4, 5, 6, 6) sts, k to end of row – 52 (54, 57, 60, 64) sts.

Row 2: Bind off 4 (4, 5, 6, 6) sts, p to end of row – 48 (50, 52, 54, 58) sts.

Row 3: Bind off 2 (3, 3, 4, 4) sts, k to end of row – 46 (47, 49, 50, 54) sts.

Row 4: Bind off 2 (3, 3, 4, 4) sts, p to end of row – 44 (44, 46, 46, 50) sts.

Row 5: K1, skp, k to last 3 sts, k2tog, k1 – 42 (42, 44, 44, 48) sts.

Rows 6-8: Work even in St st.

Row 9: Rep Row 5 – 40 (40, 42, 42, 46) sts.

Rows 10-37: Rep Rows 6-9 for 7 more times – 26 (26, 28, 28, 32) sts in Row 37.

Row 38: Purl.

Row 39: Bind off 2 sts, k to end of row – 24 (24, 26, 26, 30) sts.

Row 40: Bind off 2 sts, p to end of row – 22 (22, 24, 24, 28) sts.

Rows 41 and 42: Rep Rows 39 and 40 – 18 (18, 20, 20, 24) sts in Row 42.

Bind off.

FINISHING

Sew shoulder seams.

Hood

From RS with larger circular needle, beg at marker on right front edge, pick up and k18 sts evenly spaced along right neck edge to shoulder and 1 st at shoulder seam, k11 (12, 13, 13, 14) back neck sts on holder, place marker (pm), k1 for center back neck st, pm, k11 (12, 13, 13, 14) rem back neck sts, pick up and k1 st at shoulder seam, k18 sts evenly spaced along left neck edge to marker – 61 (63, 65, 65, 67) sts.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Remove neck edge markers. Work back and forth in rows on the circular needle as if working with straight needles.

Row 1 (WS): Purl, slipping markers as you come to them.

Row 2 (Increase Row): K to marker, M1, slip marker (sm), k center st, sm, M1, k to end of row – 63 (65, 67, 67, 69) sts.

Rows 3-7: Work even in St st, slipping markers as you come to them.

Row 8: Rep Row 2 – 65 (67, 69, 69, 71) sts.

Rows 9-15: Work even in St st, slipping markers as you come to them.

Row 16: Rep Row 2 – 67 (69, 71, 71, 73) sts.

Rows 17-32: Rep Rows 9-16 – 71 (73, 75, 75, 77) sts in Row 32.

Work even in St st, slipping markers as you come to them, until hood measures about 10 in. (25.5 cm) from beg, end with a WS row as the last row you work.

Shape Top of Hood

Row 1 (RS): K to marker for right side of hood, join a second ball of yarn, remove marker and bind off center st removing next marker, k to end of row for left side of hood – 35 (36, 37, 37, 38) sts on each side of hood.

You will now work both sides of hood AT THE SAME TIME with separate balls of yarn.

Row 2: On left side, p to end of side; on right side, bind off 3 sts, p to end of side – 35 (36, 37, 37, 38) sts on left side and 32 (33, 34, 34, 35) sts on right side.

Row 3: On right side, k to end of side; on left side, bind off 3 sts, k to end of side – 32 (33, 34, 34, 35) sts on each side.

Rows 4-11: Rep Rows 2 and 3 for 4 more times – 20 (21, 22, 22, 23) sts rem on each side.

Bend circular needle in half with 20 (21, 22, 22, 23) sts on each half of needle. With larger straight needle, use the 3-Needle Bind Off to bind off all sts.

Sew shaped edges of back of hood together.

Hood Edging

From RS with smaller circular needle, join yarn at very beg of right front neck and pick up and k94 (96, 98, 100, 102) sts evenly spaced all the way along right front neck to hood, and along edge of hood to top seam of hood, pick up and k1 st in top seam then 94 (96, 98, 100, 102) sts along left edge of hood and all the way along left front neck – 189 (193, 197, 201, 205) sts.

Work in K1, p1 Rib for 4 rows.

Bind off in K1, p1 Rib.

Lap right side of hood edging over left left and sew to bound-off sts at center front neck.

Sew side seams, leaving 5 in. (12.5 cm) unsewn at lower edge for side slits.

Sew in Sleeves. Sew Sleeve seams.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)(s)

k = knit

k2tog = knit 2 stitches together

p = purl

rem = remain(ing)(s)

rep = repeat

RS = right side

st(s) = stitch(es)

St st = Stockinette stitch

tog = together

WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.





